

	Olivine	sd	Clinopyroxene	sd	Orthopyroxene	sd	Spinel	sd
KH03-2	63.5	2.5	10.9	1.5	23.6	3.3	2.1	0.6
KH03-3	46.8	2.5	23.9	1.6	26.2	3.4	3.0	0.6
KH03-4	51.7	2.5	18.6	1.6	27.9	3.4	1.8	0.6
KH03-5	78.2	2.6	4.3	1.5	17.4	3.5	0.1	0.5
KH03-6	59.1	2.5	14.2	1.5	25.0	3.3	1.6	0.6
KH03-7	62.6	2.5	10.7	1.5	25.9	3.4	0.9	0.6
KH03-10	62.4	2.5	12.0	1.6	23.9	3.4	1.8	0.6
KH03-11	53.2	2.5	15.7	1.6	29.7	3.4	1.4	0.6
KH03-14	54.6	2.5	16.9	1.5	26.3	3.3	2.2	0.6
KH03-15	76.9	2.6	3.9	1.7	18.0	3.6	1.2	0.8
KH03-16	64.9	2.7	2.6	1.7	30.7	3.5	1.8	0.9
KH03-17	58.7	2.5	17.8	1.5	21.1	3.3	2.4	0.6
KH03-21	50.4	2.5	17.5	1.5	29.6	3.3	2.5	0.6
KH03-22	65.7	2.6	8.7	1.7	24.6	3.5	0.9	0.6
KH03-23	70.4	2.9	15.7	1.6	10.1	3.8	3.9	0.6
KH03-24	56.4	2.5	13.2	1.5	27.8	3.3	2.6	0.6
KH03-25	70.3	2.5	8.1	1.5	20.3	3.4	1.4	0.6
KH03-27	79.1	2.7	2.2	1.5	18.9	3.5	-0.2	0.5
KH96-1	60.1	2.5	12.1	1.6	26.5	3.4	1.4	0.6
KH96-2	71.6	2.6	5.2	1.5	22.4	3.4	0.8	0.6
KH96-8	45.1	2.5	12.9	1.7	39.9	3.4	2.0	0.7
KH96-9	40.6	2.5	17.1	1.6	41.8	3.4	0.6	0.6
KH96-18	54.6	2.5	14.6	1.5	28.9	3.3	1.9	0.6
KH96-20	59.3	2.4	17.3	1.7	21.4	3.3	2.0	0.6
KH96-21	81.8	2.7	2.0	1.5	15.4	3.4	0.7	0.5
KH96-22	38.6	2.6	16.1	1.6	44.9	3.4	0.4	0.6
KH96-24	57.6	2.6	10.1	1.4	30.9	3.3	1.5	0.6

Table B.1.9. Mineral modal abundances for Kilbourne Hole peridotite xenoliths